



Test Engineering Inc.
12718 Cimarron Path
San Antonio, Texas 78249-3423

Date: 07/05/10

AIOD
Attn: Sherry Burr
PO Box 1861
Montrose, CO 81402
sburr@newwestmarketing.com

Dear Sherry Burr,

RE: CONFORMANCE TO DDC POWER GUARD OIL SPECIFICATION 93K218

Results from engine and bench tests, in accordance with DDC Power Guard Oil Specification 93K218, have been presented to TEI for review as requested by DDC. In view of the results, we would like to make the following comments.

The results reported on the registration request have been found to be within DDC Power Guard Oil Specification 93K218 limits and specification; hence oils formulated as stated in your request can be labeled as conforming to DDC Power Guard Oil Specification 93K218.

Company Name: AIOD
Product Name: PURUS Synthetic Blend
SAE Grade: 15W-40

The oil shall be used per the ambient temperature and grade guidelines in the engine specific Operation and Maintenance (O & M) manual, as well as in any DDC service documents.

Please notify TEI and DDC immediately if, for any reason, the formulation for this oil changes. Changes to the oil formulation, without written approval, may void this letter of conformance. In addition, as per the DDC specification, this product will be subject to future field sample analysis for compliance.

Sincerely,



Steve L. Gearhart

cc: M. Belay / B. Calcut

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for DDC Power Guard Oil Specification 93K218 does not waive the liability of the manufacturer or the marketer. DDC does not warrant the performance of non-DDC products, registered or not.



May 7, 2010

Sherry Burr
P.O. Box 1861
Montrose, CO 81402
United States
sburr@newwestmarketing.com

Dear Sherry,

CONFORMANCE TO CES 20081 ENGINE OIL SPECIFICATION

Results from tests according to CES 20081 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20081 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20081.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: PURUS Synthetic Blend
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink that reads 'Shawn D. Whitacre'.

Shawn D. Whitacre
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20081 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: May 1, 2006



Volvo Group Trucks Technology

STD 417-0001 approval request

Data supplied by requesting company

Company name:*	Association of Independent Oil Distributors (AIOD)
Brand name:*	Purus Synthetic Blend SAE 15W-40 Heavy Duty Diesel Engine Oil
Oil code:	IM1002159
Viscosity grade:	15W-40
Marketing area:	North America
Other approvals:	ACEA E7-04
	API CJ-4,SM
	OEM DD93K218,CES 20081

*) As they shall appear in approved products lists

Date of submission 10-Apr-14

Submitted by

Name: Sherry Burr
 Company: Association of Independent Oil Distributors

Return approval to:

Name: Sherry Burr
 e-mail: sburr@newwestmarketing.com


Approval

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

Approval date: May 5, 2014 **Approval #:** 417-0001-14-289

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Group Trucks Technology


 Bengt Otterholm
 Lubricants Coordinator

Volvo / Mack Approved Product Field Sample Conformance Letter

Test Engineering Inc.
12718 Cimarron Path
San Antonio, Texas 78249-3423

Date: 02/22/11

AIOD
Attn: Sherry Burr
PO Box 1861
Montrose, CO 81402
sburr@newwestmarketing.com

Dear Sherry Burr,

RE: ANNUAL FIELD SAMPLE CHEMICAL ANALYSIS COMPARISONS FOR VOLVO VDS-4 / MACK EO-O PREMIUM PLUS APPROVED PRODUCTS

A production sample of this product was obtained and chemical analysis was performed. The values from this analysis were then compared to the values reported in your original submittal; we would like to make the following comments.

The chemical analysis comparisons were found to be within normal reproducibility limits and/or acceptable blending tolerances; hence oils formulated, as stated in your original request, can continue to be labeled as conforming to Volvo VDS-4 / Mack EO-O Premium Plus Specifications.

Company Name: AIOD
Product Name: PURUS Synthetic Blend
SAE Grade: 15W-40

The oil shall be used per the ambient temperature and grade guidelines in the engine specific Operation and Maintenance (O & M) manual, as well as in any Volvo / Mack service documents.

Please notify TEI, Volvo and Mack immediately if, for any reason, the formulation for this oil changes. Changes to the oil formulation, without written approval, may void the original letter of conformance. In addition, as per the Volvo / Mack specifications, this product will be subject to future field sample analysis for compliance.

Sincerely,


Steve L. Gearhart

cc: Bengt Otterholm, Greg Shank

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for Volvo VDS-4 / Mack EO-O Premium Plus does not waive the liability of the manufacturer or the marketer. Volvo/Mack does not warrant the performance of non-Volvo/Mack products, registered or not.



EOLCS Licensee Directory

Schedule A - License Agreement

AIOD

License Number: 0988

The Certification Marks referred to and licensed under the agreement between API and the licensee are as follows:

Licensee is authorized to display the API Service Symbol on the following products:

Showing Brands **1 - 64** of **64**

Brand Name	PURUS SYNTHETIC
SAE Viscosity Grade	5W-40
Service Category	CJ-4/SM
Performance Designation	
Brand Name	PURUS SYNTHETIC BLEND
SAE Viscosity Grade	15W-40
Service Category	CJ-4/SM
Performance Designation	
Brand Name	SERVICE PRO
SAE Viscosity Grade	10W-40
Service Category	SM
Performance Designation	